10/617504

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	("6097390").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 16:34
L2	2	("5805166").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 16:37
L3	2	("5301348").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 16:37
S1	103	("4416558" "4922448" "6160555" "6169538" "4481603" "5507581" "5276792" "5857789" "5864332" "5796404" "5689718" "4330845" "4385461" "4809220" "4603330" "6310634" "5685001" "5701499" "5916310" "5251292" "5727224" "5752058" "5857212" "3848232" "4430725" "4435778" "4435777" "4779209" "4853878" "4899276" "4434475" "4507753" "6021336" "5802537" "5008847" "5652806" "6133899" "5642132" "6130628" "4849732" "4933896" "5544048" "6098086" "6370282" "4459678" "5377311" "5881169").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/02/26 11:47
S2	101	S1 and @ad<="20010719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/08/09 12:37

62	100	(#444CEEO# #4022440# #C4COEEE#	LIC DOD'S	OD	٥٢٢	2005/00/00 12:12
S3	103	("4416558" "4922448" "6160555" "6169538" "4481603" "5507581" "5276792" "5857789" "5864332" "5796404" "5689718" "4330845" "4385461" "4809220" "4603330" "6310634" "5685001" "5701499" "5916310" "5251292" "5727224" "5752058" "5857212" "3848232" "4430725" "4435778" "4435777" "4779209" "4853878" "4897804" "5319746" "6044387" "4899276" "4434475" "4507753" "6021336" "5802537" "5008847" "5652806" "6133899" "5642132" "6130628" "4849732" "4933896" "5544048" "6098086" "6370282" "4459678" "5377311" "5881169").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:40
S4	101	S3 and @ad<="20010719" .	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/08/09 13:40
S5	101	S3 and @ad<="20020719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 14:07
S6	. 13	S5 and indicator\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:41
S7	17	("3786429" "4016365" "4367533" "4373194" "4417239" "4428065" "4739318" "4840499" "4841478" "4931987" "4984162" "5277506").PN. OR ("5864332").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/09 13:41
S8	59	S5 and edit\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:44
S9	32	S5 and edit\$3 and limit\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:44

Page 2

			-			
S10	11	S5 and edit\$3 and limit\$3 and window\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:45
S11	0	S5 and (edit\$3 and (limit\$3 near spac\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:46
S12	0	S5 and (limit\$3 near spac\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:46
S13	0	S5 and (minimal near spac\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:47
S14	90	(EOL or (end near line\$1)) near (indicator\$1 or warn\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:49
S15	0	S5 and ((EOL or (end near line\$1)) near (indicator\$1 or warn\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:48
S16	1	S5 and ((EOL or (end near line\$1)) near5 (indicator\$1 or warn\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:49
S17	1	S5 and ((EOL or (end near line\$1)) with (indicator\$1 or warn\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:49
S18	4	(EOL or (end near line\$1)) near (indicator\$1 or warn\$4) and (pda or palm or phone)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:52
S19	3	(minimal\$5 near (input near spac\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:53

S20	617	(400/83).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:53
S21	589	S20 and @ad<="20020719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 14:07
S22	889	(715/531).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 14:07
S23	828	S22 and @ad<="20020719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 14:07
S24	247	S23 and ((text\$1 or character\$1) near display\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ,	OFF	2005/08/09 14:12
S25	4	S24 and ((cell or mobile or portable) near phone)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 14:08
S26	26	S23 and (((text\$1 or character\$1) near display\$3) same (limit\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 14:12
S27	280	(input near (form\$1 or field\$1)) and (limited near space\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 12:49
S28	92	(input near (form\$1 or field\$1)) and (limited near space\$1) and (feedback or (feed near back))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 12:52
S29	63	S28 and @ad<="20020719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 12:52

S30	116	(input near (form\$1 or field\$1)) and	US-PGPUB;	OR	OFF	2005/08/10 12:55
330	110	(limited near space\$1) and (feedback or (feed near back) or progress)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OK .	OI F	2003/00/10 12:33
S31	86	S30 and @ad<="20020719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 12:59
S32	665800	(feedback or (feed near back) or progress or (progress near (bar\$1 or indicator\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 12:55
S33	665800	(feedback or (feed near back)) or (progress or (progress near (bar\$1 or indicator\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 12:56
S34	435983	((feedback or (feed near back)) or (progress or (progress near (bar\$1 or indicator\$1))) same (text\$1 or character\$1 or graphic\$1 or pen\$1) near (input\$1 or typ\$3 or writ\$3 or enter\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 12:57
S35	435705	((feedback or (feed near back)) or (progress or (progress near (bar\$1 or indicator\$1))) near (text\$1 or character\$1 or graphic\$1 or pen\$1) near (input\$1 or typ\$3 or writ\$3 or enter\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 12:58
S36	8583	((feedback or (feed near back)) or (progress or (progress near (bar\$1 or indicator\$1))) near (text\$1 or character\$1 or graphic\$1 or pen\$1) near (input\$1 or typ\$3 or writ\$3 or enter\$3)) and (graphical adj user adj interfac\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF .	2005/08/10 12:58
S37	797	((feedback or (feed near back)) or (progress or (progress near (bar\$1 or indicator\$1))) near (text\$1 or character\$1 or graphic\$1 or pen\$1) near (input\$1 or typ\$3 or writ\$3 or enter\$3)) and (graphical adj user adj interfac\$3) and (form\$1 near (field\$1 or input\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 12:58

Page 5

S38	551	S37 and @ad<="20020719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 13:06
S39	116	S38 and pervasive	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 13:06
S40	133	(715/772).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 13:06
S41	99	S40 and @ad<="20020719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 13:17
S42	70	S41 and limited	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 13:09
S43	84	S41 and limit\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 13:09
S44	2	S41 and ((character\$1 or letter\$1 or text\$1) near (input\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 13:59
S45	11	S41 and ((character\$1 or letter\$1 or text\$1) with (input\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 13:17
S46	1227	(feedback\$1) same ((character\$1 or letter\$1 or text\$1) with (input\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 13:17
S47	947	S46 and @ad<="20020719" .	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 13:59

		<u>, , , , , , , , , , , , , , , , , , , </u>		1		
S48	1571	progress near (bar\$1 or indicator\$1 or checklist\$1 or (check adj list\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 13:59
S49	1074	S48 and @ad<="20020719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 14:37
S50	622	S49 and (character\$1 or letter\$1 or text\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 14:00
S51	26	S50 and (visual\$2 near feedback\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 14:36
S52	38	(progress near bar\$1) and (visual\$2 near feedback\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 14:36
S53	15	S52 and @ad<="20020719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 14:45
S54	0	("2003/0046401").URPN.	USPAT	OR	OFF	2005/08/10 14:45
S55	1	(typing or input) near (progress near bar\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/08/10 14:46
S56	1	(typing or input key\$3) near (progress near bar\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 14:47
S57	1	(input\$1) near (progress near bar\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 14:47

			•			
S58	1	(input\$1) near3 (progress near bar\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 14:47
S59	1	(input\$1) near5 (progress near bar\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 14:47
S60	14	(input\$1) with (progress near bar\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 14:47
S61	21176	nokia.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:06
S62	65	S61 and (text\$1 near input\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:07
S63	0	S61 and (text\$1 near input\$4 near (form\$1 or space\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:07
S64	4	(verizon.as.) and (text\$1 near input\$4 near (form\$1 or space\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:08
S65	4	(verizon.as.) and (text\$1 near input\$4 near (form\$1 or space\$1 or display\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:09
S66	13	(nokia.as.) and (text\$1 near input\$4 near (form\$1 or space\$1 or display\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/08/15 11:10
S67	0	(nokia.as.) and (manual\$2 near text\$1 near (input\$4 or entry\$1 or enter\$3) near (form\$1 or space\$1 or display\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:10

S68	0.	((cell\$4 or wireless) near (telephone\$1 or phone\$1)) and (manual\$2 near text\$1 near (input\$4 or entry\$1 or enter\$3) near (form\$1 or space\$1 or display\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:11
S69	15	((cell\$4 or wireless) near (telephone\$1 or phone\$1)) and (manual\$2 near text\$1 near (input\$4 or entry\$1 or enter\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:13
S70	0	S69 and feedback\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:12
S71	15	((cell\$4 or wireless) near (telephone\$1 or phone\$1)) and (manual\$2 near text\$1 near (input\$4 or entr\$3 or enter\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2005/08/15 11:13
S72	62	(manual\$2 near text\$1 near (input\$4 or entr\$3 or enter\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:16
S73	15	S72 and buffer\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/08/15 11:17
S74	5	S72 and buffer\$3 and ((feed adj back\$1) or feedback\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:18
S75	272	(graphical\$2 near ((feed adj back\$1) or feedback\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:19
S76	0	(graphical\$2 near ((feed adj back\$1) or feedback\$1)) near (bar\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:19
S77	60	(graphical\$2 near ((feed adj back\$1) or feedback\$1)) and (buffer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:22

S78	113	((graphical\$2 or icon\$6 or cursor\$1) near ((feed adj back\$1) or feedback\$1)) and (buffer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:27
S79	133	(715/772).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:27
S80	. 12	("5542088" "5550970" "5644334" "5805166" "5911779" "5986992" "6014141" "6023698" "6097390" "6100887" "6104397" "6338072").PN. OR ("6865717").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/15 11:42
S81	99	S79 and @ad<="20020719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/08/15 12:11
S82	. 36	S81 and ((text\$7 or character\$1 or keyboard\$1) near5 (input\$4 or status\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:49
S83	40	S81 and ((text\$7 or character\$1 or keyboard\$1) near5 (input\$4 or status\$3 or progress\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 12:10
S84		("5301348" "5319384" "5420968" "5423039" "5448693" "5479602" "5519390" "5524195" "5544295" "5586237" "5596694" "5630081" "5655093" "5801692" "5801698" "5805166" "5898432" "5940078" "5953010").PN. OR ("6097390"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/15 11:57
S85	16982	(text near messag\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2005/08/15 12:10
S86	9222	(text near messag\$3) and (pervasive or portable or mobile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 12:11

			ı			
S87	3002	(text near messag\$3) and ((pervasive or portable or mobile) near device\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 12:11
S88	1363	S87 and @ad<="20020719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF,	2005/08/15 12:11
S89		S88 and (graphical\$2 near feedback\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 12:12
S90	0	S88 and (graphical\$2 near findicator\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 12:12
S91	0	S88 and (iconic\$4 near findicator\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 12:12
S92	11	form\$1 near field\$1 near progress\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 14:41
S93	18	form\$1 near field\$1 near limit\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 14:42
S94	9	form\$1 near field\$1 near (graphic\$1 or icon\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 14:41
S95	132	(form\$1 near field\$1) near5 limit\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 14:43
S96	72	(form\$1 near field\$1) near3 limit\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 14:42

S97	112	S95 and @ad<="20020719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 15:18
S98	0	(textarea) near (restrict\$4 or limit\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 15:19
S99	12	(textarea) near5 (restrict\$4 or limit\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 15:19
S10 0	27140	(web or html) near form\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 08:18
S10 1	119	(web or html) near form\$1 near5 limit\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF .	2005/08/25 08:19
S10 2	9	((web or html) near form\$1) near5 limit\$3 near5 input\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 08:20
S10 3	820	limit\$3 with text\$1 with input\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 08:21
S10 4	820	limit\$3 with (text\$1 with input\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 08:21
S10 5	204	limit\$3 with (text\$1 near input\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 08:21
S10 6	0	(limit\$3 with (text\$1 near input\$1)) same ((web or html) near5 form\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 08:22

			-			
S10 7	21	(limit\$3 with (text\$1 near input\$1)) and((web or html) near5 form\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 08:22
S10 8	18135	(form\$1 near field\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 11:42
S10 9	8	(form\$1 near field\$1) same (textarea)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 12:14
S11 0	658	(form\$1 near field\$1) same (limit\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 11:53
S11 1	29	(form\$1 near field\$1) same (limit\$3 with input\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 11:48
S11 2	11	S111 and @ad<="20010719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 11:57
S11 3	. 9	S112 and (count\$3 or feedback\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 11:51
S11 4	275	(form\$1 near field\$1) same (bar\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 11:53
S11 5	468	(form\$1 near field\$1) same (progress\$3 or status\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 11:53
S11 6	7	(form\$1 near field\$1) same ((progress\$3 or status\$2) with bar\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 11:55

			•			
S11 7	10	(form\$1 near (field\$1 or input\$4)) same ((progress\$3 or status\$2) with bar\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 11:56
S11 8	1548	(form\$1 near (field\$1 or input\$4)) same ((progress\$3 or status\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 11:59
S11 9	1007	S118 and @ad<="20010719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/08/25 12:00
S12 0	6298	((form\$1 near (field\$1 or input\$4)) or cursor\$1 or icon\$1 or avatar\$1) with ((progress\$3 or status\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF .	2005/08/25 12:00
S12 1	936	(cursor\$1 or icon\$1 or avatar\$1) near (progress\$3 or status\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 12:01
S12 2	506	S121 and @ad<="20010719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 12:01
S12 3	164	(cursor\$1) near (progress\$3 or status\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 12:02
S12 4	93	S123 and @ad<="20010719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/08/25 12:05
S12 5	0	(cursor\$1) with ((text\$1 or character\$1) near (input\$4)) near (progress\$3 or status\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 12:02
S12 6	16	(cursor\$1) with ((text\$1 or character\$1) near (input\$4)) with (progress\$3 or status\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 12:04

			•			
S12 7	1609	(cursor\$1) with ((text\$1 or character\$1) near input\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 12:04
S12 8	399	"l29" and @ad<="20010719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/08/25 12:15
S12 9	186	S128 and (progress\$3 or status\$2 or feedback\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 12:13
S13 0	39	S128 and ((progress\$3 or status\$2 or feedback\$3) with input\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2005/08/25 12:05
S13 1	0	S128 and (progress\$3 or status\$2 or feedback\$3) and (character\$1 near counter\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR -	OFF	2005/08/25 12:14
S13 2	160	(form\$1 near field\$1) and ((character\$1 or input\$4) near count\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 12:15
S13 3	152	S132 and @ad<="20010719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 12:16
S13 4	117	(form\$1 near field\$1) and ((character\$1 or input\$4) near (counter\$1 or counting))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 12:17
S13 5	152	S133 and @ad<="20010719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 12:23
S13 6	0	(form\$1 near field\$1 near processing) and ((character\$1 or input\$4) near (counter\$1 or counting))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 12:17

S13 7	2	("5,060,980").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 12:17
S13 8	12	(pervasive near device\$1) same ((graphical adj user adj interfac\$3) or GUI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 12:25
S13 9	904	(status\$2 or progress) near (cursor\$1 or icon\$1 or avatar\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 12:26
S14 0	1096	(status\$2 or progress or feedback\$1) near (cursor\$1 or icon\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF ·	2005/08/25 12:26
S14 1	1.	(input\$4 near (status\$2 or progress or feedback\$1)) near (cursor\$1 or icon\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 12:26
S14 2	26	(input\$4 near5 (status\$2 or progress or feedback\$1)) near (cursor\$1 or icon\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 12:27
S14 3	11331	sms and messag\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 15:26
S14 4	8135	S143 and ((limit\$3 or count\$3) character\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 15:27
S14 5	425	((simple adj message) or sms) same (count\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR [*]	OFF	2005/08/25 15:28
S14 6	203	S145 and @ad<="20010719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 15:29

S14 7	7338	(short adj message adj service)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 15:34
S14 8	3075	(short adj message adj service) and GSM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 15:29
S14 9	2781	S147 and @ad<="20010719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 15:37
S15 0	204	S149 and ((character\$1 or text\$1) with (input\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 15:32
S15 1	. 58	S150 and count\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 15:33
S15 2	57	S150 and (progress\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 15:33
S15 3	3	S149 and (count\$3 near (character\$1 or keystroke\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	·2005/08/25 15:35
S15 4	9	S147 and (count\$3 near (character\$1 or keystroke\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 15:36
S15 -	21	S147 and (count\$3 near3 (character\$1 or keystroke\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 15:37
S15 6	7	S155 and @ad<="20010719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 15:37

					r	
S15 7	57	(graphic\$5 or visual\$5) near (text adj input\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 09:55
S15 8	50	S157 and (indicat\$3 or progress\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 09:50
S15 9	10	S158 and (cell or mobile or portable or pervasive)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 09:49
S16 0	3	(progress or status) near (text adj input\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ,	OFF	2005/08/29 09:56
S16 1	5	(progress or status) near (text adj (input\$5 or ent\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 09:58
S16 2	3	(progress or status) near (text adj (input\$5 or (entries or entrys)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 09:59
S16 3	19	(progress or status) near5 (text adj (input\$5 or (entries or entrys)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 10:03
S16 4	309	("simple message" or messag\$3 or buffer\$3) near5 (text adj (input\$5 or (entries or entrys)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/08/29 10:10
S16 5	167	S164 and (status\$3 or indicator\$1 or progress)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 10:10
S16 6	199	S164 and (status\$3 or indicator\$1 or progress or dynamic\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 10:20

S16 7	18	S164 and ((position\$3 or status or progress) near (indicator\$1 or icon\$1 or bar\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 10:13
S16 8	91	(dynamic\$4 near cursor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 10:20
S16 9	9	S168 and ((text\$1 or character\$1) near (input\$4 or enter\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 10:21
S17 0	2	"20030046401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 11:23
S17 1	36	(data adj entry adj field\$1) same maximum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR,	OFF	2005/08/30 11:42
S17 2	11	S171 and @ad<="20010712"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 11:42
S17 3	604	(data adj entry adj field\$1) and maximum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 11:42
S17 4	. 333	S173 and @ad<="20010712"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 11:45
S17 5	333	S174 and (limit\$3 or maximum\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 11:43
S17 6	211	S174 and (count\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 11:43

			•			
S17 7	4	S174 and (count\$3 near character\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/08/30 11:44
S17 8	93	(input near character\$1 near count\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 11:51
S17 9		S178 and @ad<="20010712"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 11:45
S18 0	50	(input near character\$1 near length\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 11:51
S18 1	10	("2093142" "4143808" "4193071" "4484826" "4523294" "4755955" "4802104" "4923314" "5065358").PN. OR ("5396589"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/30 11:52
S18 2	705	(command adj pattern\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 13:33
S18 3	553	S182 and @ad<="20010719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 13:34
S18 4	123	S183 and (progress or status)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 13:35
S18 .5	18	S184 and (text\$4 near5 input\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 13:36
S18 6	496	(memory adj2 writer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 10:58

2/27/2007 4:42:06 PM C:\Documents and Settings\JBlackwell\My Documents\EAST\Workspaces\10617504.wsp

Page 20

		EAST Scare	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
S18 7	2	(memory adj2 writer) and (type adj writer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 10:59
S18 8	45	(memory adj2 writer) and ((international adj business adj machines) or IBM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 11:03
S18 9	5	S188 and @ad<="19900101" .	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 11:02
S19 0	313	(typewriter\$1 near display\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 11:02
S19 1	180	S190 and @ad<="19900101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 11:02
S19 2	40	S191 and ((international adj business adj machines) or IBM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 11:04
S19 3	30	S192 and (buffer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 11:04
S19 4	16	S193 and ((text\$1 or character\$1) near (input\$4 or enter\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 11:05
S19 5	14	S194 and count\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 11:05
S19 6	44542	(status\$2 or progress\$4) adj3 indicat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 14:35

S19 7	20981	(status\$2 or progress\$4) adj indicat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 14:34
S19 8	20981	(status\$2 or progress\$4) adj1 indicat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 14:34
S19 9	36196	(status\$2 or progress\$4) adj2 indicat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 14:34
S20 0	2983	S196 and ((text\$1 or character\$1) near5 (input\$1 or entr\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 14:36
S20 1	54175	(status\$2 or progress\$4 or feedback\$1) adj3 indicat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 14:35
S20 2	3369	S201 and ((text\$1 or character\$1) near5 (input\$1 or entr\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF.	2005/09/07 14:36
S20 3	580	S201 and ((text\$1 or character\$1) near5 (field\$1) near5 (input\$1 or entr\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 14:37
S20 4	483	S203 and (graphical\$2 or numerical\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 14:37
S20 5	123	S203 and ((graphical\$2 or numerical\$2) near5 display\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 14:40
S20 6	455	S203 and count\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 14:40

				·		
S20 7	157	S206 and increment\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 14:41
S20 8	149	S206 and increment\$3 and limit\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 14:50
S20 9	2	("6104397").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 14:50
S21 0	10	("4974173" "5301348" "5392207" "5452416" "5519828" "5630081" "5745713").PN. OR ("6104397").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/07 14:50
S21 1	11	("5500936" "5652714" "5664216" "5815153" "5841959" "5877764" "5896138" "5905496" "6104397" "6239800" "6326985").PN. OR ("6825861"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/07 14:56
S21 2	35	("4034353" "4200896" "4203103" "4333144" "4415974" "4623988" "4628470" "4638436" "4730262" "4899136" "4935870" "D295763").PN. OR ("5301348").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/08 11:01
S21 3	8	S212 and cursor\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/08 11:02
S21 4	3	S213 and ((text\$1 or character\$1) near (input\$4 or entr\$3))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/08 11:02
S21 5	724	text\$1 near cursor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 13:09
S21 6	464	S215 and @ad<="20010719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 13:17

2/27/2007 4:42:06 PM C:\Documents and Settings\JBlackwell\My Documents\EAST\Workspaces\10617504.wsp Page 23

S21 7	55	S216 and animat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 13:06
S21 8	3	(text\$1 near cursor\$1) with animat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 13:09
S21 9	3	S215 with animat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 13:09
S22 0	3017	text\$1 near5 cursor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 13:09
S22 1	13	S220 with animat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 13:16
S22 2	2	("6104397").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 13:17
S22 3	142	(715/772).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 13:17
S22 4	72	S223 and @ad<="20010719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 13:18
S22 5	63	S224 and (input\$4 or entr\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 13:18
S22 6	30	S224 and ((text\$1 or data) near5 (input\$4 or entr\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 13:19

S22 7	5	S226 and (pervasive or mobile or portable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 13:47
S22 8	80	(715/780).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 13:47
S22 9		(715/770).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 13:48
S23 0	0	("14and15").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 13:48
S23 1	. 0	S228 and S229	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 13:48
S23 2	242	(715/771).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF ⁻	2005/09/15 13:48
S23 3	2	S229 and S232	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 13:48
S23 4	248	(455/455).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 11:49
S23 5	83919	("370").CLAS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 11:49
S23 6	0	(370/328*).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 11:49

			, , , , , , , , , , , , , , , , , , , 	· · · · · · · · · · · · · · · · · · ·		
S23 7	3991	(370/32\$).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 11:50
S23 8	2682	(370/349).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 11:50
S23 9	315	(370/496).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 11:50
S24 0	1415	(370/522).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 11:59
S24 1	2426	455/466	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 12:01
S24 2	10463	S237 S238 S239 S240 S241	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 12:01
S24 3	7285	S242 and @ad<="20010719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 12:12
S24 4	109	S243 and ((graphical adj user adj interfac\$3) or GUI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 12:03
S24 5	723	S243 and (sms or (short adj message adj servic\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 12:12
S24 6	18	S244 and S245	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 12:06

S24 7	610	S245 and (limit\$3 or abbreviat\$3 or shorten\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 12:07
S24 8	. 23	S245 and ((limit\$3 or abbreviat\$3 or shorten\$2) near5 (input\$4 or entr\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 12:13
S24 9	376	715/76\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 12:10
S25 0	187	715/77\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 12:10
S25 1	96	S249 and @ad<="20010719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 12:12
S25 2	34	S250 and @ad<="20010719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 12:12
S25 3	117	S251 or S252	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 12:12
S25 4	0	S253 and (sms or (short adj message adj servic\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 12:12
S25 5	53	S253 and ((chat\$4 or messag\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 12:13
S25 6		S253 and ((limit\$3 or abbreviat\$3 or shorten\$2) near5 (input\$4 or entr\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 12:14

				 ,		
S25 7	19	(US-20030046401-\$ or US-20040207662-\$).did. or (US-4212077-\$ or US-4323315-\$ or US-4360806-\$ or US-4408302-\$ or US-4439838-\$ or US-4922448-\$ or US-5287538-\$ or US-5301348-\$ or US-5396589-\$ or US-6097390-\$ or US-6104397-\$ or US-6275987-\$ or US-6411315-\$ or US-6414697-\$ or US-6825861-\$ or US-6865717-\$ or US-6941522-\$).did.	US-PGPUB; USPAT	OR	OFF	2005/09/26 11:57
S25 8	. 6	S257 and cursor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 12:13
S25 9	1	S257 and mobile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 12:14
S26 0		S257 and cell	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 12:40
S26 1	990	(715/530).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 12:40
S26 2	899	(715/531).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 12:40
S26 .	142	(715/772).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 12:40
S26 4	1929	S261 or S262 or S263	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 12:40
S26 5	1625	S264 and @ad<="20020719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2005/09/26 12:48

S26 6	478	S265 and (cursor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 12:48
S26 7	12	S265 and (cursor\$1) and (text adj only)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 12:48
S26 8	18068	(texas adj instruments).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 12:04
S26 9	10015	S268 and (display\$1 or feeback\$1 or indicator\$1 or indicat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 12:05
S27 0	53	S269 and (text\$1 with input\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 12:06
S27 1	254	(feedback\$1 or altert\$3 or warn\$3) with (text\$1 with input\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 12:07
S27 2	8	(graphical\$4) with ((feedback\$1 or altert\$3 or warn\$3) with (text\$1 with input\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 12:07
S27 3	19	("5706450" "5818437" "5847697" "5911485" "5952942" "5953541" "6005495" "6011554").PN. OR ("6204848"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/28 12:11
S27 4	124	motorola.as. and sms	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/02 13:26
S27 5	130	(motorola.as. and (sms or (simple adj messag\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/03/02 13:27

S27 6	82	(motorola.as. and (sms or (simple adj messag\$3))) and interfac\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/02 13:27
S27 7	17	(motorola.as. and (sms or (simple adj messag\$3))) and interfac\$3 and count\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/02 13:29
S27 8	14	(samsung.as. and (sms or (simple adj messag\$3))) and interfac\$3 and count\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/02 13:31
S27 9	1	(samsung.as. and (sms or (simple adj messag\$3))) and interfac\$3 and count\$3 and bar\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/02 13:32
S28 0	9	(verizon.as. and (sms or (simple adj messag\$3))) and interfac\$3 and count\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03 <u>/</u> 02 13:33
S28 1	112	(nokia.as. and (sms or (simple adj messag\$3))) and interfac\$3 and count\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/02 13:48
S28 2	55	(nokia.as. and (sms or (simple adj messag\$3))) and interfac\$3 and (counter or counting)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/02 13:56
S28 3	3	(("6,345,278") or ("6,460,042")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2006/03/02 14:47
S28 4	2305	summariz\$3 with (document\$1 or publication\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/02 14:50
S28 5	60	summariz\$3 with (document\$1 or publication\$1) with (keyword\$1 or (key adj word\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/02 14:50

S28 6	23	S285 and @ad<="20001026"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/02 15:03
S28 7	2	("6345278").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/02 15:03
S28 8	280	(455/556.2).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/03/03 10:00
S28 9	53	S288 and count\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 10:01
S29 0	18	S288 and count\$3 and bar\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 10:03
S29 1	12	S288 and count\$3 and (sms or (text with messag\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 10:10
S29 2	2	S291 and feedback	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 10:04
S29 3	64	S288 and (sms or (text with messag\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 10:14
S29 4	3	S288 and ((sms or (text with messag\$3)) with (character\$1 or letter\$1 or keystroke\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 10:13
S29 5	2045	(455/414.\$).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 10:14

S29 6	760	S295 and (sms or (text with messag\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 10:14
S29 7	70	S295 and ((sms or (text with messag\$3)) with (indicator\$1 or progress or icon\$1 or bar\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 10:16
S29 8	14	S297 and (counter\$1 or counting)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/03 10:17
S29 9	3255	(455/466,566).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 09:36
S30 0	1637	(455/466).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 09:36
S30 1	1731	(455/566).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 09:36
S30 2	113	S300 and S301	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 09:36
S30 3	55	S302 and @ad<="20010719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 09:37
S30 4	4	S303 and (counter or counting)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 09:41
S30 5	3	S303 and (progress\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 09:42

S30 6	11731	(character\$1 or letter\$1 or alphanumeric\$1) with (counter\$1 or counting\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 09:43
S30 7	88	S306 and (sms or (short adj messag\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 09:45
S30 8	59	S307 and @ad<="20010719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 09:45
S30 9	35	S306 and (sms or (short adj messag\$3) adj service\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/03/06 09:45
S31 0	12	S309 and @ad<="20010719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 09:45
S31 1	19987	(345/1\$2).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 11:40
S31 2	13587	S311 and @ad<="20010719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 11:41
S31 3	244	S312 and (text\$1 with messag\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 11:41
S31 4	1078	S312 and ((text\$1 with messag\$3) and counter\$1 or counting\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 11:41
S31 5	62	S312 and ((text\$1 with messag\$3) and (counter\$1 or counting\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 11:42

S31 6	5	S315 and disambiguat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 11:42
S31 7	57	S315 not S316	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 11:43
S31 8	55	S317 and (indicat\$4 or progress\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 11:44
S31 9	18	S317 and (counter\$1 or counting\$1) with (input\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 11:50
S32 0	8	(counting with input with character\$1) and (text with messag\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 12:17
S32 1	13453	UMTS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 12:17
S32 2	7676	UMTS and GSM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 12:23
S32 3	13453	UMTS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 12:18
S32 4	24322	("715").CLAS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 12:18
S32 5	86	S323 and S324	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 12:23

			· · · · · · · · · · · · · · · · · · ·			
S32 6	10573	(715/7??).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 12:23
S32 7	35	S326 and (UMTS and GSM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 12:23
S32 8	21	S326 and (UMTS and SMS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 12:24
S32 9	20	S326 and (UMTS and SMS and interface\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 12:26
S33 0	. 5	("20010032240" "20020138731" "20030056100" "6574657" "6795919").PN. OR ("6948130"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/06 12:25
S33 1	66	((UMTS and SMS) with interface\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/03/06 12:27
S33 2	44521	available near3 memor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 09:48
S33 3	35526	available near2 memor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 09:48
S33 4	678	(visual\$2 or graphic\$4) with S332	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 09:49
S33 5	13	editor with S333 .	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 09:49

S33 6	24400	("715").CLAS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 09:49
S33 7	24400	"715"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 09:50
S33 8	921	S332 and S336	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 09:50
S33 9	38	S334 and S338	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 09:51
S34 0	51	editor with (scroll\$3 adj bar\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 10:46
S34 1	47	S340 and @ad<="20020719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 10:19
S34 2	0	("715,833,786,787").PN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 09:56
S34 3	235	(715/833,786,787).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 09:56
S34 4	·203	S343 and @ad<="20020719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 10:45
S34 5	14	S344 and ((textual or alphanumeric) with (input\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 09:57

S34 6	6	("5339391" "5506951" "5867678" "5874961" "5903267" "5973663").PN. OR ("6473104"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/09 10:02
S34 7	2	("5,301,348").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 10:22
S34 8	2	("6,097,390").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 10:22
S34 9	0	("715.530,531,772,861,833").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 10:45
S35 0	2233	(715/530,531,772,861,833).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 10:45
S35 1	1816	S350 and @ad<="20020719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 10:45
S35 2	2	S351 and (editor with (scroll\$3 adj bar\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 10:46
S35 3	2	("4812832").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/12 10:15
S35 4	18	("3648249" "4445194" "4497589" "4624587").PN. OR ("4812832"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/09/12 10:18
S35 5	198	(electronic\$4 near typewrit\$3) with (display\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/09/12 10:19
S35 6	38	S355 and (eol or "end of line" or (end adj2 line))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/09/12 10:20

S35 7	26	S356 and cursor\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/09/12 10:20
S35 8	20	S357 and count\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2006/09/12 10:20
S35 9	2157	((cell or mobile or portable) near3 (phone\$1 or terminal\$1 or device\$1 or telephone\$1)) and alcatel.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 09:35
S36 0	14	((cell or mobile or portable) near3 (phone\$1 or terminal\$1 or device\$1 or telephone\$1)) and audiovox.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 09:36
S36 1		((cell or mobile or portable) near3 (phone\$1 or terminal\$1 or device\$1 or telephone\$1)) and benefon.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 09:36
S36 2	134	((cell or mobile or portable) near3 (phone\$1 or terminal\$1 or device\$1 or telephone\$1)) and acer.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 09:36
S36 · 3	54	((cell or mobile or portable) near3 (phone\$1 or terminal\$1 or device\$1 or telephone\$1)) and panasonic.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 09:36
S36 4	4831	((cell or mobile or portable) near3 (phone\$1 or terminal\$1 or device\$1 or telephone\$1)) and philips.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 09:37
S36 5	4027	sagem	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 09:37
S36 6	716	((cell or mobile or portable) near3 (phone\$1 or terminal\$1 or device\$1 or telephone\$1)) and sagem.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	'OR	OFF	2006/09/13 09:37

				•		
S36 7	11982	((cell or mobile or portable) near3 (phone\$1 or terminal\$1 or device\$1 or telephone\$1)) and samsung.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 09:37
S36 8	4736	((cell or mobile or portable) near3 (phone\$1 or terminal\$1 or device\$1 or telephone\$1)) and kyocera.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 09:37
S36 9	7941	((cell or mobile or portable) near3 (phone\$1 or terminal\$1 or device\$1 or telephone\$1)) and lg.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 09:37
S37 0	6679	((cell or mobile or portable) near3 (phone\$1 or terminal\$1 or device\$1 or telephone\$1)) and motorola.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 09:38
S37 1	20883	((cell or mobile or portable) near3 (phone\$1 or terminal\$1 or device\$1 or telephone\$1)) and nec.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 09:38
S37 2	12762	((cell or mobile or portable) near3 (phone\$1 or terminal\$1 or device\$1 or telephone\$1)) and nokia.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 09:38
S37 3	5722	((cell or mobile or portable) near3 (phone\$1 or terminal\$1 or device\$1 or telephone\$1)) and sanyo.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ŌR	OFF	2006/09/13 09:38
S37 4	5256	((cell or mobile or portable) near3 (phone\$1 or terminal\$1 or device\$1 or telephone\$1)) and siemens.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 09:38
S37 5	1600	((cell or mobile or portable) near3 (phone\$1 or terminal\$1 or device\$1 or telephone\$1)) and (sony.as. and ericsson.as.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 09:39
S37 6	88276	S359 S360 S361 S362 S363 S364 S365 S366 S367 S368 S369 S370 S371 S372 S373 S374 S375	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 09:39

S37 7	45008	S376 and @ad<="20010719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 09:40
S37 8	873	S377 and ((simple adj messag\$3) or (sms) or (text\$1 adj messag\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 09:55
S37 9	297	S377 and (((simple adj messag\$3) or (sms) or (text\$1 adj messag\$3)) and (user adj interfac\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 09:41
S38 0	150	S377 and (((simple adj messag\$3) or (sms) or (text\$1 adj messag\$3)) and (user adj interfac\$3) and (visual\$2 or graphical\$2 or icon\$5 or avatar\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 09:43
S38 1	47.	S377 and (((simple adj messag\$3) or (sms) or (text\$1 adj messag\$3)) and (user adj interfac\$3) and (visual\$2 or graphical\$2 or icon\$5 or avatar\$1) and (count\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 09:44
S38 2	0	S377 and (((simple adj messag\$3) or (sms) or (text\$1 adj messag\$3)) and (user adj interfac\$3) and (visual\$2 or graphical\$2 or icon\$5 or avatar\$1) and (character\$1 with count\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 09:44
S38 3	150	S377 and (((simple adj messag\$3) or (sms) or (text\$1 adj messag\$3)) and (user adj interfac\$3) and (visual\$2 or graphical\$2 or icon\$5 or avatar\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 09:50
S38 4	77	S383 and (character\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 09:44
S38 5	94	S383 and (character\$1 or letter\$1 or alphanumeric\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 09:46

			·			
S38 6	49	S383 and "160"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 09:47
S38 7	1	S386 and (string\$1 with length\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 09:48
S38 8	8	S383 and (message with full)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 09:49
S38 9	153	S377 and (((simple adj messag\$3) or (sms) or (text\$1 adj messag\$3)) and ((user adj interfac\$3) or UI) and (visual\$2 or graphical\$2 or icon\$5 or avatar\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 09:51
S39 0		S377 and (((simple adj messag\$3) or (sms) or (text\$1 adj messag\$3)) and ((user adj interfac\$3) or UI) and (visual\$2 or graphical\$2 or icon\$5 or avatar\$1) and full)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 09:52
S39 1	23	S390 not nokia.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 09:54
S39 2	4	S391 and buffer\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 09:54
S39 3	16	S377 and (((simple adj messag\$3) or (sms) or (text\$1 adj messag\$3)) and (buffer\$3 with (full or fill\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 10:12
S39 4	. 2	("5365552").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/13 10:13
S39 5	0	S394 and bar\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/09/13 10:22

S39 6	3	("4112423").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/09/13 10:22
S39 7	13797	(input\$1 or field\$1 or form\$1) near (indicator\$1 or icon\$1 or avatar\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 11:39
S39 8	20	((input\$1 or form\$1) with field\$1) near (indicator\$1 or icon\$1 or avatar\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 11:40
S39 9	29	((input\$1 or form\$1) with field\$1) near (indicator\$1 or icon\$1 or avatar\$1 or feedback)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/09/15 11:42
S40 0	17	'((form\$1) with field\$1) near (indicator\$1 or icon\$1 or avatar\$1 or feedback)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 11:42
S40 1	23	((input\$4 or entr\$3) with field\$1) near (indicator\$1 or icon\$1 or avatar\$1 or feedback)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 11:43
S40 2	15	((input\$4 or entr\$3) with field\$1) near (indicator\$1 or icon\$1 or avatar\$1 or ((visual\$2 or audio\$1 or aural\$1) with feedback))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 11:44
S40 3	2223	((input\$4 or entr\$3) with field\$1) with (indicator\$1 or icon\$1 or avatar\$1 or ((visual\$2 or audio\$1 or aural\$1) with feedback))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 11:44
S40 4	732	((input\$4 or entr\$3) with field\$1) with (indicator\$1 or icon\$1 or avatar\$1 or ((visual\$2 or audio\$1 or aural\$1) with feedback)) and (html or web or www or xhtml or wap or wml)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 11:47

					~ · · · · · · · · · · · · · · · · · · ·	
S40 5	261	S404 and @ad<="20010719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 11:48
S40 6	21	S405 and ((count\$3 or remain\$3) with (input\$1 or character\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 11:47
S40 7	1885	((input\$4 or entr\$3) with field\$1) with (indicator\$1 or measure\$1 or graphic\$1 or bar\$1 or cursor\$1 or ((visual\$2 or audio\$1 or aural\$1) with feedback)) and (html or web or www or xhtml or wap or wml)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 11:47
S40 8	575	S407 and @ad<="20010719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 11:53
S40 9	21	S408 and (textarea\$1 or (text adj area\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 11:52
S41 0	51749	((text\$1 or character\$1) with (entr\$3 or input\$4 or typ\$3)) and (count\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 11:54
S41 1	32011	S410 and @ad<="20010719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 11:53
S41 2	16022	(((text\$1 or character\$1) with (entr\$3 or input\$4 or typ\$3)) same (form\$1 or field\$1)) and (count\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 11:55
S41 3	9831	(((text\$1 or character\$1) with (entr\$3 or input\$4 or typ\$3)) with (form\$1 or field\$1)) and (count\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 11:56

		•	•			
S41 4	2509	(((text\$1 or character\$1) with (entr\$3 or input\$4 or typ\$3)) with (form\$1 or field\$1)) and (count\$3) and (html or xhtml)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 11:56
S41 5	1003	(((text\$1 or character\$1) with (entr\$3 or input\$4 or typ\$3)) with (form\$1 or field\$1)) same (html or xhtml)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 11:57
S41 6	26631	("715").CLAS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2006/09/15 11:57
S41 7	281	S415 and S416	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 11:58
S41 8	164	S417 and (count\$3 or track\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 11:59
S41 9	108	S417 and (count\$3 or (keep\$3 near track\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 12:07
S42 0	3	S419 and ((visual\$2 or graphical\$2) with (feedback\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 12:02
S42 1	1076	S416 and ((visual\$2 or graphical\$2) with (feedback\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 12:02
S42 2	269	S416 and ((input\$4 or enter\$3 or entr\$3) with ((visual\$2 or graphical\$2) with (feedback\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 12:03
S42 3	101	S422 and (count\$3 or (keep\$3 near track\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 12:35

(<u> </u>		(11700000011) 201			0.55	2006/20/17 12 57
S42 4	. 2	("5230062").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 12:37
S42 5	2	("5450538").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 12:38
S42 6	2	("6341359").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 12:39
S42 7	43	S423 and (data adj (entr\$3 or input\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 12:40
S42 8	126	(715/508).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 12:41
S42 9	10	S428 and (feedback\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 12:42
S43 0	0	(bargraph\$3 or (bar adj graph\$3)) adj metaphor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 12:42
S43 1	0	(bargraph\$3 or (bar adj graph\$3)) adj avatar\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 12:42
S43 2	17	(bargraph\$3 or (bar adj graph\$3)) adj icon\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 12:46
S43 3	6	(bargraph\$3 or (bar adj graph\$3)) adj cursor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 12:48

			•			
S43 4	8	(bargraph\$3 or (bar adj graph\$3)) near interactive\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 12:50
S43 5	35	(bargraph\$3 or (bar adj graph\$3)) near dynamic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 12:52
S43 6	95	(bargraph\$3 or (bar adj graph\$3)) near chang\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 12:58
S43 7	48	(bargraph\$3 or (bar adj graph\$3)) near count\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/09/15 12:58
S43 8	221	(bargraph\$3 or (bar adj graph\$3)) near3 count\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 12:59
S43 9	87	((text\$1 or character\$1) with (input\$4 or ent\$5)) near count\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 13:13
S44 0	35	(345/18).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 13:12
S44 1	0	S440 and (((text\$1 or character\$1) with (input\$4 or ent\$5)) near count\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 13:14
S44 2	1246	(graphical\$2 near5 feedback\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/09/15 13:13
S44 3	0	S442 and (((text\$1 or character\$1) with (input\$4 or ent\$5)) near count\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 13:14

S44 4	294	S442 and (((text\$1 or character\$1) with (input\$4 or ent\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 13:26
S44 5	9920	(human adj computer adj interfac\$3) or hci	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 13:26
S44 6	970	S445 and (phone\$1 or telephone\$1 or pervasive or pda)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 13:27
S44 7	198	S445 and ((phone\$1 or telephone\$1 or pervasive or pda) with (input\$4 or ent\$9))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 13:38
S44 8	2	("6052514").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 13:40
S44 9	1920589	(available or remain\$3) near (text\$1 or character\$1 or line\$1 or word\$1 or space\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 13:41
S45 · 0	1778	(count\$3) with ((available or remain\$3) near (text\$1 or character\$1 or line\$1 or word\$1 or space\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 13:42
S45 1	287	((count\$3) with ((available or remain\$3) near (text\$1 or character\$1 or line\$1 or word\$1 or space\$1))) and ((visual\$2 or graphic\$4) with (display\$3 or present\$3 or indicat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 13:44
S45 2	214	S451 and @ad<="20010719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 13:44

r			,,,,,,,	1		
S45 ⁻	2	("5,301,348").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 14:22
S45 4	36	("4034353" "4200896" "4203103" "4333144" "4415974" "4623988" "4628470" "4638436" "4730262" "4899136" "4935870" "D295763").PN. OR ("5301348").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/09/15 14:26
S45 5	15119	S454 an dbar\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/09/15 14:26
S45 6	1315829	S454 an bar\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/09/15 14:26
S45 7	22	S454 and bar\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/09/15 14:27
S45 8	25	S454 and (character\$1 or letter\$1 or text\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/09/15 14:28
S45 9	28	("5226120" "5261044" "5284494" "5295244" "5301348" "5394522" "5483631" "5521913" "5548722" "5606664" "5627964" "5627978" "5657461" "5751965" "5768614" "5793845" "5819042").PN. OR ("6100887").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/09/15 14:36
S46 0	4	S458 and (text\$1 with entr\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 14:44
S46 1	10	("4974173" "5301348" "5392207" "5452416" "5519828" "5630081" "5745713").PN. OR ("6104397").URPN.	US-PGPUB; USPAT; USOCR	OR ·	OFF	2006/09/15 14:38
S46 2	12	("5542088" "5550970" "5644334" "5805166" "5911779" "5986992" "6014141" "6023698" "6097390" "6100887" "6104397" "6338072").PN. OR ("6865717").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/09/15 14:47

S46 3	0	S462 and (text\$1 with entr\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 14:44
S46 4	9395	gsm and umts	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 15:52
S46 5	47	(textarea or (text adj area)) with count\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 15:59
S46 6	22	S465 and @ad<="20010719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 16:01
S46 7	50419	pager\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ÓR	OFF	2006/09/15 15:59
S46 8	4375	pager\$1 and ((text\$1 or character\$1) near5 (input\$1 or enter\$3 or entr\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 16:00
S46 9	107	pager\$1 and ((text\$1 or character\$1) near5 (input\$1 or enter\$3 or entr\$3)) and (multi adj line\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 16:00
S47 0	62	S469 and @ad<="20010719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 16:03
S47 1	290261	S470 and counter\$1 or counting	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 16:03
S47 2	30	S470 and (counter\$1 or counting)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/15 16:03

S47 3	2	("6,097,390").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/16 11:12
S47 4	15	(US-20040088715-\$ or US-20050071753-\$).did. or (US-5396589-\$ or US-4974173-\$ or US-6275987-\$ or US-6948130-\$ or US-6496870-\$ or US-6473104-\$ or US-6865717-\$ or US-6100887-\$ or US-5230062-\$ or US-5890164-\$ or US-6204848-\$ or US-6104397-\$ or US-5805166-\$).did.	US-PGPUB; USPAT	OR	OFF	2006/09/16 11:50
S47 5	5	S474 and color	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/09/16 11:51
S47 6	5	S474 and flash\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/09/16 11:52
S47 7	2	S474 and (flash\$3 or blink\$3) and color\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/16 11:52
S47 8	2415	(715/530,531,772,861,833).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/16 12:21
S47 9	1877	S478 and @ad<="20020719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/16 12:21
S48 0	44	S479 and ((text adj messag\$3) or sms)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/16 12:21
S48 1	180	S479 and ((text adj (enter\$3 or entr\$3 or messag\$3)) or sms)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/16 12:22

S48 2	673911	(text\$1 or textual or character\$1 or letter\$1 or symbol\$1 or ideogra\$3 or pictogra\$3 or emoticon\$1 or smiley\$1 or punctuation\$1 or period\$1 or exclamation\$1 or ascii) with (input\$4 or entr\$3 or typ\$3 or	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	OR	OFF	2007/02/23 14:25
S48 3	100604	enter\$3) (text\$1 or textual or character\$1 or letter\$1 or symbol\$1 or ideogra\$3 or pictogra\$3 or emoticon\$1 or smiley\$1 or punctuation\$1 or period\$1 or exclamation\$1 or ascii) with (input\$4 or entr\$3 or typ\$3 or enter\$3) with (indicator\$1 or graphic\$1 or symbol\$1 or emoticon\$1 or bar\$1 or bargraph\$1)	IBM_TDB US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 14:26
S48 4	3667	(text\$1 or textual or character\$1 or letter\$1 or symbol\$1 or ideogra\$3 or pictogra\$3 or emoticon\$1 or smiley\$1 or punctuation\$1 or period\$1 or exclamation\$1 or ascii) with (input\$4 or entr\$3 or typ\$3 or enter\$3) with ((length) with (indicator\$1 or graphic\$1 or symbol\$1 or emoticon\$1 or bar\$1 or bargraph\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 14:30
S48 5	2349	S484 and @ad<="20020719"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 14:31
548 6	9767	(text\$1 or textual or character\$1 or letter\$1 or symbol\$1 or ideogra\$3 or pictogra\$3 or emoticon\$1 or smiley\$1 or punctuation\$1 or period\$1 or exclamation\$1 or ascii) with (input\$4 or entr\$3 or typ\$3 or enter\$3) with ((position\$3) with (indicator\$1 or graphic\$1 or symbol\$1 or emoticon\$1 or bar\$1 or bargraph\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 14:31
S48 7	5089	S486 and @ad<="20020719"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 14:38

					0.55	2007/02/22 11 25
S48 8	14605	(input\$4 near text\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 14:37
S48 9	102	(input\$4 near text\$1) near (count\$4 or indicat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 14:37
S49 0	56	S489 and @ad<="20020719"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 14:38
S49 1	800	((graphical\$2 with indicator\$1) and counter\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/26 11:48
S49 2	447	((graphical\$2 with indicator\$1) and counter\$1 and (increment\$5 or decrement\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/26 11:48
S49 3	155	((graphical\$2 with indicator\$1) and counter\$1 and (increment\$5 or decrement\$5)) and ((text\$1 or character\$1 or ideogra\$6) with (input\$4 or enter\$3 or entr\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/26 11:51
S49 4	154	((graphical\$2 with indicator\$1) and counter\$1 and (increment\$5 or decrement\$5)) and ((text\$1 or character\$1 or ideogra\$6) with (input\$4 or enter\$3 or entr\$3)) and (limit\$3 or maximum)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/26 11:52

Page 52

			ı	· · · · · · · · · · · · · · · · · · ·		
S49 5	98	((graphical\$2 with indicator\$1) and counter\$1 and (increment\$5 or decrement\$5)) and ((text\$1 or character\$1 or ideogra\$6) with (input\$4 or enter\$3 or entr\$3)) and (maximum)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/02/26 12:01
S49 6	61	((graphical\$2 with indicator\$1) and counter\$1 and (increment\$5 or decrement\$5)) and ((text\$1 or character\$1 or ideogra\$6) with (input\$4 or enter\$3 or entr\$3)) and (maximum) and (bar\$1 or bargraph\$1 or (bar\$1 adj graph\$1) or (hour adj glass\$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/26 11:56
S49 7	37	S496 and @ad<="20020719"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/26 12:05
S49 8	9	(text\$1 adj messag\$3) same (graphical\$2 adj indicator\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/26 12:06
S49 9	2	S498 and @ad<="20020719"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/26 12:06
S50 0	113	(text\$1 adj messag\$3) and ((graphical\$2 or icon\$1 or sprite\$1) adj indicator\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/26 12:06
S50 1	33	S500 and @ad<="20020719"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/26 12:06

		Γ	1			
S50 2	24334	(text\$1 adj messag\$3) or (simple adj message)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 13:03
S50 3	33780	(text\$1 adj messag\$3) or (simple adj message) or (instant adj messag\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 13:05
S50 4	13039	S503 and @ad<="20020719"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 13:05
S50 · 5	1410	(simple adj message)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 13:10
S50 6	951	S505 and @ad<="20020719"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 13:11
S50 7	433	S506 and remaining	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 13:06
S50 8	4	S506 and (remaining near3 character\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 13:07

,			,			
S50 9	24	(simple adj message adj service)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 13:10
S51 0	3	S509 and @ad<="20020719"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 13:14
S51 1	144	symbian.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 13:14
S51 2	24	S511 and @ad<="20020719"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 13:16
S51 3	5074	(message adj input)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 13:15
S51 4	97	(message adj input) and (count\$3 near3 character\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 13:16
S51 5	273	((message or text) adj input) and (count\$3 near3 character\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 13:16

			1			
S51 6	185	S515 and @ad<="20020719"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 13:22
S51 7	185	S516 and (count\$3 or remain\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 13:17
S51 8	185	S516 and (count\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 13:17
S51 9	121	S516 and (counter\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 13:21
S52 0	12	S516 and (counter\$1 with indicator\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/02/27 13:21
S52 1	6134	((graphical or visual or visual\$5) with counter\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 13:22
S52 2	2085	((graphical or visual\$5) with display\$3 with counter\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 13:22

S52	1506	S522 and @ad<="20020719"	US-PGPUB;	OR	OFF	2007/02/27 13:26
3	1300		USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			
S52 4	478	S523 and (count\$3 near3 (up or down))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF -	2007/02/27 13:26
\$52 5	478	S524 and @ad<="20020719"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 13:41
S52 6	40710	((text\$1 or character\$1 or letter\$1 or ascii) near5 (input\$4 or enter\$3 or entr\$3)) and (((horizontal or vertical with bar\$1) or (bar adj graph\$1) or graphic\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2007/02/27 13:38
S52 7	29873	((text\$1 or character\$1 or letter\$1 or ascii) near5 (input\$4 or enter\$3 or entr\$3)) and ((((horizontal or vertical) with bar\$1) or (bar adj graph\$1) or graphic\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/02/27 13:39
S52 8	30119	((text\$1 or character\$1 or letter\$1 or ascii) near5 (input\$4 or enter\$3 or entr\$3)) and ((((horizontal or vertical) with bar\$1) or ((bar or pie) adj (chart\$1 or graph\$1)) or graphic\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 13:40
S52 9	5110	((text\$1 or character\$1 or letter\$1 or ascii) near5 (input\$4 or enter\$3 or entr\$3)) with ((((horizontal or vertical) with bar\$1) or ((bar or pie) adj (chart\$1 or graph\$1)) or graphic\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 13:40

S53 0	2504	((text\$1 or character\$1 or letter\$1 or ascii) near5 (input\$4 or enter\$3 or entr\$3)) near ((((horizontal or vertical) with bar\$1) or ((bar or pie) adj (chart\$1 or graph\$1)) or graphic\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 13:40
S53 1		S530 and @ad<="20020719"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 14:08
S53 2	28711	("715").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 13:43
S53 3	201	S531 and S532	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 13:46
S53 4	123	S533 and (histogram\$1 or bar\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 13:48
S53 5	4	S533 and ((histogram\$1 or bar\$1) with count\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 13:47
S53 6	13555	(709/203-206).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 13:48

			1.10 - 0-:	00	055	2007/02/27 11 05
S53 7	32	S531 and S536	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 14:07
S53 8	2335	(progress adj2 (bar\$1 or indicator\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF .	2007/02/27 14:07
S53 9	1132	S538 and @ad<="20020719"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 14:59
S54 0	3	S530 and S539	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 14:10
S54 1	4 5	compudigm.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 14:11
S54 2	0	compudigm.as. and (progress adj bar)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 14:58
S54 3	24370	messag\$3 with length\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 14:58

S54 4	424	(messag\$3 near length\$1) with count\$3	US-PGPUB; USPAT; USOCR;	OR	OFF	2007/02/27 14:58
			FPRS; EPO; JPO; DERWENT; IBM_TDB			
S54 5	313	S544 and @ad<="20020719"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/02/27 15:00
S54 6	291	S545 and indicat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 15:00
S54 7		block\$1 adj counter\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 15:00
S54 8	1855	S547 and @ad<="20020719"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 16:32
S54 9	122	cursor\$1 near counter\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 15:03